- 1 What is claimed is:
- A system for delivering electronic programming to a user,
- 3 the system comprising:
- a printed matter having at least one sensor and a
- transmitter for transmitting a coded signal in
- response to an actuation of said sensor;
- an intelligent controller having associated therewith a
 - receiver for receiving said coded signal and a
 - means for accessing programming material; and
 - a display unit for presenting said programming
 - material;
 - wherein said user actuates said sensor to cause said
 - intelligent controller to access said programming
 - material and said display unit to present said
 - programming material to said user.
- 16 2. A system as defined in claim 1 wherein said sensor comprises
- a touch sensor.

- 18 3. A system as defined in claim 1 wherein said sensor comprises
- a capacitive touch sensor.
- 4. A system as defined in claim 1 wherein said sensor comprises
- a conductive touch sensor.
- 5. A system as defined in claim 1 wherein said sensor comprises

a page sensor. 1

:12 1000

13

- A system as defined in claim 1 wherein said printed matter 6. includes both a page sensor and a touch sensor.
- A system as defined in claim 1 wherein said printed matter 7. includes a pad having a plurality of touch sensors.
- A system as defined in claim 1 wherein said printed matter 8. includes a plurality of pads, each having a plurality of touch sensors.
 - A system as defined in claim 1 wherein said intelligent 9. controller includes a microprocessor.
 - A system as defined in claim 1 wherein said intelligent 10. controller has associated therewith a memory means for storing programming material.
 - A system as defined in claim 10 wherein said memory means 11. comprises a magnetic disk.
- A system as defined in claim 10 wherein said memory means 12. 16 comprises a PCMCIA card. 17
- A system as defined in claim 10 wherein said memory means 13. 18 comprises a flash RAM. 19
- A system as defined in claim 10 wherein said memory means 20 comprises a cache. 21
- A system as defined in claim 10 wherein said memory means 15.

comprises a CD-ROM.

13

13

- 2 16. A system as defined in claim 10 wherein said memory means is
- selected from the group consisting of: a ROM; a WORM disk; a
- floppy disk; a multi-layer optical disk; a magneto-optical
- disk; an IC card; a magnetic bubble memory; a sequential
- access memory; a magnetic tape; a magnetic drum; a magneto-
- optical drum; a static RAM; and a dynamic RAM.
 - 17. A system as defined in claim 1 wherein said intelligent controller includes a removable memory means.
 - 18. A system as defined in claim 17 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.
 - 19. A system as defined in claim 1 wherein said means for accessing programming material operates via a data link.
 - 20. A system as defined in claim 19 wherein said data link comprises a telephone line.
- 21. A system as defined in claim 19 wherein said data link comprises a computer network.
- 22. A system as defined in claim 19 wherein said data linkcomprises an ISDN network.
- 23. A system as defined in claim 19 wherein said data link 22 comprises an Ethernet network.

- A system as defined in claim 19 wherein said data link comprises a CATV line. 2
- A system as defined in claim 1 wherein said intelligent 3 controller has associated therewith a buffer for temporarily storing the programming material.
- A system as defined in claim 1 wherein said intelligent controller includes means for decompressing compressed programming material.
 - A system as defined in claim 1 wherein said display unit 27. comprises a video display.
 - A system as defined in claim 1 wherein said display unit 28. comprises an audio transducer.

Ü H

:12

T3

- A system as defined in claim 1 wherein said display unit 29. comprises a flat panel display.
- A system as defined in claim 29 wherein said flat panel 30. display is embedded within said printed matter. 16
- A system as defined in claim 1 wherein said display unit has 31. 17 associated therewith a buffer for temporarily storing 18 programming material. 19
- A system as defined in claim 1 wherein said display unit has 20 associated therewith means for decompressing compressed 21 programming material. 22

- 33. A system as defined in claim 1 wherein said display unit
 comprises a CATV converter, or wireless cable converter, and
 a television set coupled thereto.
- 34. A system as defined in claim 1 wherein said display unit comprises a personal computer.
- 6 35. A system as defined in claim 34 wherein said personal computer includes a CD-ROM for storing programming material.
 - 36. A system as defined in claim 34 wherein said personal computer includes means for decompressing compressed programming material.

Į.

- 37. A system as defined in claim 1 wherein said intelligent controller and said display unit each comprise portions of a personal computer.
- 38. A system as defined in claim 1 wherein said programming material includes entertainment programming.
- 39. A system as defined in claim 1 wherein said programmingmaterial includes educational programming.
- 18 40. A system as defined in claim 1 wherein said programming

 19 material supplements information contained in said printed

 20 matter.
- 21 41. A system as defined in claim 1 wherein said programming
 22 material includes commercial programming.

- A system as defined in claim 1 wherein said programming 42. 1 material includes promotional programming.
- 43. A system as defined in claim 1 wherein said programming material includes informational programming.
- A system as defined in claim 1 wherein said transmitter and receiver communicate via an energy pathway.
- A system as defined in claim 44 wherein said energy pathway 7 45. comprises a conductive cable. 8. 9.

1Œ

. . 1]

- A system as defined in claim 44 wherein said energy pathway 46. comprises an optical cable.
- A system as defined in claim 44 wherein said energy pathway 47. comprises a capacitively coupled link.
- A system as defined in claim 1 wherein said transmitter and 48. receiver communicate via a wireless RF link.
- 12 13 14 15 A system as defined in claim 1 wherein said transmitter and 49. receiver communicate via an IR link. 16
- A system for displaying programming to a user, the system 50. 17 comprising: 18
- a printed matter having at least one machine 19 recognizable feature; 20
- a feature recognition unit having associated therewith 21 a means for recognizing said feature and a 22

195 (198)

transmitter for transmitting a coded signal in response to the recognition of said feature; an intelligent controller having associated therewith a 3 receiver for receiving said coded signal and means for accessing programming material; and 5 a display unit for presenting said programming material; wherein said recognition unit, in response to the 8 19 10 11 12 13 recognition of said feature, causes said intelligent controller to access said programming material and said display unit to execute or

A system as defined in claim 50 wherein said intelligent 51. controller includes a microprocessor.

display said programming material.

A system as defined in claim 50 wherein said intelligent 52. controller has associated therewith a memory means for 16 storing programming material. 17

L

- A system as defined in claim 52 wherein said memory means 53. 18 comprises a magnetic disk. 19
- A system as defined in claim 52 wherein said memory means 20 comprises a PCMCIA card. 21
- A system as defined in claim 52 wherein said memory means 55.

comprises a flash RAM.

13

14

15

- 2 56. A system as defined in claim 52 wherein said memory means 3 comprises a cache.
- 57. A system as defined in claim 52 wherein said memory means comprises a CD-ROM.
- selected from the group consisting of: a ROM; a WORM disk; a floppy disk; a multi-layer optical disk; a magneto-optical disk; an IC card; a magnetic bubble memory; a sequential access memory; a magnetic tape; a magnetic drum; a magneto-optical drum; a static RAM; and a dynamic RAM.

 59. A system as defined in claim 50 wherein said intelligent
 - 59. A system as defined in claim 50 wherein said intelligent controller includes a removable memory means.
 - 60. A system as defined in claim 59 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.
- 17 61. A system as defined in claim 50 wherein said means for accessing programming material operates via a data link.
- 19 62. A system as defined in claim 61 wherein said data link 20 comprises a telephone line.
- 21 63. A system as defined in claim 61 wherein said data link 22 comprises a computer network.

- A system as defined in claim 61 wherein said data link 1 comprises an ISDN network.
- A system as defined in claim 61 wherein said data link 65. comprises an Ethernet network.
- A system as defined in claim 61 wherein said data link 66. comprises a CATV line.
- A system as defined in claim 50 wherein said intelligent 67. 7 controller has associated therewith a buffer for temporarily 12 13 14 storing the programming material.
 - A system as defined in claim 50 wherein said intelligent controller includes means for decompressing compressed programming material.
 - A system as defined in claim 50 wherein said display unit 69. comprises a video display.
- A system as defined in claim 50 wherein said display unit 70. comprises an audio transducer. 16
- A system as defined in claim 50 wherein said display unit 71. 17 comprises a flat panel display. 18
- A system as defined in claim 71 wherein said flat panel 72. 19 display is embedded within said printed matter. 20
- A system as defined in claim 50 wherein said display unit 21 has associated therewith a buffer for temporarily storing 22

- programming material. 1
- 74. A system as defined in claim 50 wherein said display unit has associated therewith means for decompressing compressed 3
- programming material.

13= 14

- A system as defined in claim 50 wherein said display unit comprises a CATV converter, or wireless cable converter, and a television set coupled thereto.
- A system as defined in claim 50 wherein said display unit 76. 10 11 12 comprises a personal computer.
 - A system as defined in claim 76 wherein said personal 77. computer includes a CD-ROM for storing programming material.
 - A system as defined in claim 76 wherein said personal 78. computer includes means for decompressing compressed programming material.
- A system as defined in claim 50 wherein said intelligent 15 79. controller and said display unit each comprise portions of a 16 personal computer. 17
- A system as defined in claim 50 wherein said programming 80. 18 material includes entertainment programming. 19
- A system as defined in claim 50 wherein said programming 81. 20 material includes educational programming. 21
- A system as defined in claim 50 wherein said programming 82. 22

- material supplements information contained in said printed 1 matter.
- A system as defined in claim 50 wherein said programming material includes commercial programming.
- A system as defined in claim 50 wherein said programming 84. 5 material includes promotional programming.
- A system as defined in claim 50 wherein said programming 85. material includes informational programming. 9 11 11 11

12 13=

113

- A system as defined in claim 50 wherein said transmitter and 86. receiver communicate via an energy pathway.
- A system as defined in claim 86 wherein said energy pathway 87. comprises a conductive cable.
- A system as defined in claim 86 wherein said energy pathway 88. comprises an optical cable.
- A system as defined in claim 86 wherein said energy pathway 15 89. comprises a capacitively coupled link. 16
- A system as defined in claim 50 wherein said transmitter and 90. 17 receiver communicate via a wireless RF link. 18
- A system as defined in claim 50 wherein said transmitter and 91. 19 receiver communicate via an IR link. 20
- A system as defined in claim 50 wherein said feature 92. 21 comprises a bar code. 22

- 93. A system as defined in claim 50 wherein said feature comprises an invisible bar code.
- 94. A system as defined in claim 50 comprises wherein said
 feature comprises a magnetic code.
- 5 95. A system as defined in claim 50 wherein said feature 6 comprises printed indicia.
- 96. A system as defined in claim 50 wherein said recognition unit comprises a hand-held unit.
 - 97. A system as defined in claim 96 wherein said hand-held recognition unit includes a CCD camera.
 - 98. A system as defined in claim 96 wherein said hand-held recognition unit includes a bar code reader.

- 99. A system as defined in claim 96 wherein said hand-held recognition unit comprises a magnetic detector.
- 150. A system as defined in claim 96 wherein said hand-held recognition unit comprises a scanner/mouse.
- 101. A system for delivering electronic programming to a user, the system comprising:
- a printed matter having associated therewith at least
 one sensor, a controller responsive to an
 actuation of said sensor, and a transmitter
 responsive to said controller for transmitting a

coded signal; and

1

7

16

a display unit having associated therewith a receiver

for receiving said coded signal, means for

accessing programming material in response

thereto, and means for displaying or executing

said programming material; and

wherein said user actuates said sensor to cause said programming material to be accessed and displayed or executed.

- 102. A system as defined in claim 101 wherein said controller includes a microprocessor.
- 103. A system as defined in claim 101 wherein said display unit further has associated therewith a memory means for storing programming material.
- 104. A system as defined in claim 103 wherein said memory means comprises a magnetic disk.
- 17 105. A system as defined in claim 103 wherein said memory means comprises a PCMCIA card.
- 19 106. A system as defined in claim 103 wherein said memory means comprises a flash RAM.
- 107. A system as defined in claim 103 wherein said memory means comprises a cache.

- 108. A system as defined in claim 103 wherein said memory means comprises a CD-ROM.
- 109. A system as defined in claim 101 wherein said memory means is selected from the group consisting of: a ROM; a WORM disk; a floppy disk; a multi-layer optical disk; a magnetooptical disk; an IC card; a magnetic bubble memory; a sequential access memory; a magnetic tape; a magnetic drum;
- a magneto-optical drum; a static RAM; and a dynamic RAM.
 - 110. A system as defined in claim 101 wherein said further has associated therewith a removable memory means.
 - 111. A system as defined in claim 110 wherein said printed matter and said removable memory means are supplied to, or purchased by, the user as a set.
 - 112. A system as defined in claim 101 wherein said means for accessing programming material operates via a data link.
- 113. A system as defined in claim 112 wherein said data link 16 comprises a telephone line. 17

13. 11 14

- 114. A system as defined in claim 112 wherein said data link 18 comprises a computer network. 19
- 115. A system as defined in claim 112 wherein said data link 20 comprises an ISDN network. 21
- 116. A system as defined in claim 112 wherein said data link 22

comprises an Ethernet network. 1

_12 =

- 117. A system as defined in claim 112 wherein said data link 2 comprises a CATV line. 3
- 118. A system as defined in claim 101 wherein said controller has associated therewith a power-down or slow-down circuit for reducing power consumption in said controller.
- 119. A system as defined in claim 101 wherein said controller has associated therewith a solar cell for powering said 8 155 controller..
 - 120. A system as defined in claim 101 wherein said display unit comprises a video display.
 - 121. A system as defined in claim 101 wherein said display unit comprises an audio transducer.
- [] []4 122. A system as defined in claim 101 wherein said display unit į "Ł comprises a flat panel display. 15
 - 123. A system as defined in claim 122 wherein said flat panel 16 display is embedded within said printed matter. 17
 - 124. A system as defined in claim 101 wherein said display unit 18 has associated therewith a buffer for temporarily storing 19 programming material. 20
 - 125. A system as defined in claim 101 wherein said display unit 21 has associated therewith means for decompressing compressed 22

- programming material.
- 126. A system as defined in claim 101 wherein said display unit
- 3 comprises a CATV converter, or wireless cable converter, and
- a television set coupled thereto.
- 5 127. A system as defined in claim 101 wherein said display unit
- 6 comprises a personal computer.
- 7 128. A system as defined in claim 127 wherein said personal
- computer includes a CD-ROM for storing programming material.
 - 129. A system as defined in claim 127 wherein said personal
 - computer includes means for decompressing compressed
- 129. A system as defined i
 computer includes mea
 programming material.
- 130. A system as defined in claim 101 wherein said controller and
- said display unit each comprise portions of a personal
- ________computer.

=

- 131. A system as defined in claim 101 wherein said programming
- material includes entertainment programming.
- 132. A system as defined in claim 101 wherein said programming
- material includes educational programming.
- 19 133. A system as defined in claim 101 wherein said programming
- material supplements information contained in said printed
- 21 matter.
- 134. A system as defined in claim 101 wherein said programming

- material includes commercial programming.
- 135. A system as defined in claim 101 wherein said programming material includes promotional programming.
- 136. A system as defined in claim 101 wherein said programming material includes informational programming.
- 137. A system as defined in claim 101 wherein said transmitter and receiver communicate via an energy pathway.
- 138. A system as defined in claim 137 wherein said energy pathway 3 comprises a conductive cable.
 - 139. A system as defined in claim 137 wherein said energy pathway comprises an optical cable.
- 12 140. A system as defined in claim 137 wherein said energy pathway []13 comprises a capacitively coupled link.
- 141. A system as defined in claim 101 wherein said transmitter **14** and receiver communicate via a wireless RF link. 15
 - 142. A system as defined in claim 101 wherein said transmitter 16 and receiver communicate via an IR link. 17
 - 143. A method of providing, accessing or utilizing electronic 18 media services, the method comprising the steps of: 19
 - providing a printed matter having at least one sensor associated therewith; 21
 - providing or programming an intelligent controller to, 22

in response to an actuation of said sensor, 1 perform a pre-programmed command; and executing said pre-programmed command to access or 3 control an electronic media. 144. A method of providing electronic programming material, the method comprising the steps of: providing a printed matter to a potential customer; 7 pre-programming an intelligent controller to access or 10 11 control the transmission of electronic programming material in response to an event wherein the customer interacts with the printed matter in a particular manner; and displaying or executing said programming material in **±13** response to the intelligent controller. 14 145. A method as defined in claim 144 wherein said printed matter 15 comprises a low-cost, throw away publication. 16 146. A method as defined in claim 144 wherein said customer 17 utilizes a feature recognition unit to interact with said 18

147. A method of providing or accessing shop-at-home services, the method including the steps of:

printed matter.

20

21

22

incorporating within a printed catalogue at least one

ppinan i

sensor or machine-recognizable feature; 1 programming a controller to execute a pre-programmed command in response to an event wherein a customer 3 interacts with said sensor or feature; and responding to the execution of said pre-programmed 5 command. 148. A method as defined in claim 147 wherein responding 7 comprises presenting or delivering commercial programming to 8 9 10 10 11 11 11 the customer. 149. A method as defined in claim 147 wherein responding comprises presenting or delivering promotional programming to the customer. <u>;</u>12 150. A method as defined in claim 147 wherein responding 13 comprises contacting the customer by telephone. 151. A method as defined in claim 147 wherein responding 15 comprises providing an electronic menu to the customer. 16 152. A method as defined in claim 151, further comprising the 17 step of responding to the customer's menu selection(s). 18 153. An improved method of instruction, said method including the 19 steps of: 20 providing a printed textbook having at least one sensor 21

22

or machine-recognizable feature associated

therewith;

1

7

12

13

15

16

20

21

22

providing a means, distinct from said textbook, for

executing a pre-programmed command in response to

an event wherein a reader of the textbook

interacts with said sensor or feature; and

responding to the execution of said command.

- 154. An improved method of instruction as defined in claim 153 wherein responding comprises: causing or controlling the delivery or presentation of multimedia material or other information related to that in the textbook to the reader.
- 155. An improved method of instruction as defined in claim 153 wherein responding comprises: forming a communication link between the reader and a tutor or consultant.
- 156. A low cost, throw-away printed matter useful for accessing electronic media services, said printed matter including:

at least one sensor; and

means, responsive to an actuation of said sensor, for transmitting a coded signal indicative of said sensor.

157. A feature recognition unit useful, in combination with a printed matter, for accessing electronic media services, said recognition unit comprising:

1	means for recognizing features on said printed matter
2	and
3	means, responsive to the recognition of a feature, for

- means, responsive to the recognition of a feature, for transmitting a coded signal indicative of said recognized feature.
- 6 158. A feature recognition unit as defined in claim 157 wherein said means for recognizing reads bar codes.

₃12

13 111 114

15

- 159. A feature recognition unit as defined in claim 157 wherein said means for recognizing reads printed indicia.
- 160. A feature recognition unit as defined in claim 157 wherein said means for recognizing reads magnetic codes.
- 161. A feature recognition unit as defined in claim 157 wherein said means for recognizing comprises a CCD camera.
- 162. A feature recognition unit as defined in claim 157 wherein said means for recognizing comprises a bar code reader.
- 163. A feature recognition unit as defined in claim 157, further including a microprocessor.
- 18 164. A system for delivering an electronic advertisement to a user, the system comprising:
- a printed advertisement having associated therewith at
 least one sensor or machine-recognizable feature,
 a controller, responsive to an actuation of said

sensor or a recognition of said machine-1 recognizable feature, and a transmitter, responsive to said controller, for transmitting a coded signal; and a display unit including a receiver for receiving said 5 coded signal and means for providing said user with said electronic advertisement related to said printed advertisement. 165. A system for delivering information services to a user, the system comprising: a printed reference having associated therewith at least one sensor or machine-recognizable feature, a controller, responsive to an actuation of said sensor or a recognition of said machinerecognizable feature, and a transmitter, responsive to said controller, for transmitting a 16 coded signal; and 17 a display unit including a receiver for receiving said 18 coded signal and means for providing said user 19 with said information services related to said 20 printed reference. 21

166. A system for delivering information services as defined in

- claim 165 wherein said display unit is contained within a personal communicator device.
- 167. A system for delivering information services as defined in claim 165 wherein said display unit is contained within a remote pager device.